Refine Search

Search Results -

Terms	Documents
L24 and (default near state)	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L25

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Thursday, June 01, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L25	L24 and (default near state)	0	L25
L24	(L21 or L22) and L12	32	L24
L23	(L21 or L22) and L7	0	L23
L22	709/219.ccls.	3730	L22
L21	709/217.ccls.	4032	L21
L20	(L18 or L19) and (default near state)	0	L20
L19	L17 and L7	2	L19
L18	L16 and L7	15	L18
L17	709/$.ccls.	44960	L17
L16	707/$.ccls.	34979	L16
L15	L14 and ("default state")	1	L15
L14	L12 and index$3	522	L14
L13	L12 and L10	0	L13
L12	query same multiple same ("search engine")	686	L12

L11	L1 and L10	0	L11
L10	compar$3 same content same ((remote or local) near device)	67	L10
L9	compar$ same content same ((remote or local) near device)	93	L9
L8	L7 and ("default state")	0	L8
L7	(L6 or L4) and ("search engine")	34	L7
L6	L5 not L4	18	L6
L5	L3 and ((single or combin$3) near result$1)	37	L5
L4	L3 and ((single or combin$) near result$1)	36	L4
L3	L2 and index$3	478	L3
L2	L1 and (compar$3 same search)	1047	L2
L1	search same multiple same device$1	3567	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L24 and (default near state)	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L25

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Thursday, June 01, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L25	L24 and (default near state)	0	L25
L24	(L21 or L22) and L12	32	L24
L23	(L21 or L22) and L7	0	L23
L22	709/219.ccls.	3730	L22
L21	709/217.ccls.	4032	L21
L20	(L18 or L19) and (default near state)	0	L20
L19	L17 and L7	2	L19
L18	L16 and L7	15	L18
L17	709/$.ccls.	44960	L17
L16	707/$.ccls.	34979	L16
L15	L14 and ("default state")	1	L15
L14	L12 and index$3	522	L14
L13	L12 and L10	0	L13
L12	query same multiple same ("search engine")	686	L12

L11	L1 and L10	0	L11
L10	compar$3 same content same ((remote or local) near device)	67	L10
L9	compar$ same content same ((remote or local) near device)	93	L9
L8	L7 and ("default state")	0	L8
L7	(L6 or L4) and ("search engine")	34	L7
L6	L5 not L4	18	L6
L5	L3 and ((single or combin$3) near result$1)	37	L5
L4	L3 and ((single or combin$) near result$1)	36	L4
L3	L2 and index$3	478	L3
L2	L1 and (compar$3 same search)	1047	L2
L1	search same multiple same device$1	3567	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L14 and ("default state")	1

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L15

Refine Search

Recall Text Clear Interrupt

Search History

DATE: Thursday, June 01, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L15	L14 and ("default state")	1	L15
L14	L12 and index$3	522	L14
L13	L12 and L10	0	L13
L12	query same multiple same ("search engine")	686	L12
L11	L1 and L10	0	L11
L10	compar$3 same content same ((remote or local) near device)	67	L10
L9	compar$ same content same ((remote or local) near device)	93	L9
L8	L7 and ("default state")	0	L8
L7	(L6 or L4) and ("search engine")	34	L7
L6	L5 not L4	18	L6
L5	L3 and ((single or combin$3) near result$1)	37	L5
L4	L3 and ((single or combin$) near result$1)	36	L4
L3	L2 and index$3	478	L3
L2	L1 and (compar$3 same search)	1047	L2

L1	search same multiple same device$1	3567	L1

END OF SEARCH HISTORY

6/1/06

Refine Search

Search Results -

Terms	Documents
L1 and L10	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L11

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Thursday, June 01, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L11	L1 and L10	0	L11
L10	compar$3 same content same ((remote or local) near device)	67	L10
L9	compar$ same content same ((remote or local) near device)	93	L9
L8	L7 and ("default state")	0	L8
L7	(L6 or L4) and ("search engine")	34	L7
L6	L5 not L4	18	L6
L5	L3 and ((single or combin$3) near result$1)	37	L5
L4	L3 and ((single or combin$) near result$1)	36	L4
L3	L2 and index$3	478	L3
L2	L1 and (compar$3 same search)	1047	L2
L1	search same multiple same device$1	3567	L1

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L17 and (display$3 near (amalgamat$ or combin$3) near result)	1

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L18

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Thursday, June 01, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L18	L17 and (display$3 near (amalgamat$ or combin$3) near result)	1	L18
L17	L13 and (display$3 same (amalgamat$ or combin$3) same result)	28	L17
L16	L14 and (display$3 same (amalgamat$ or combin$3) same result)	0	L16
L15	L14 and (display$3 same result)	1	L15
L14	L13 and (default near state)	1	L14
L13	L12 and ((compar$3 or match$3) same term)	164	L13
L12	L11 and l2	309	L12
L11	(query or querying) same multiple same ("search engine")	691	L11
L10	L9 and L3	1	L10
L9	707/1-7.ccls.	15875	L9
L8	L7 and (default near state)	0	L8
L7	L6 and state	3	L7
L6	L5 and index$3	3	L6

L5	L3 and (display$3 same result$1)	8	L5
L4	L3 and ((amalgamat$ or combin$3) same result$1)	0	L4
L3	L1 and L2	18	L3
L2	search same (local or remote)	34089	L2
L1	(compar$3 or match$3) same content same ((remote or local) near device)	113	L1

END OF SEARCH HISTORY

6/1/06

Refine Search

Search Results -

Terms	Documents
L7 and (default near state)	0

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L8

Refine Search

Recall Text Clear Interrupt

Search History

DATE: Thursday, June 01, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L8	L7 and (default near state)	0	L8
L7	L6 and state	3	L7
L6	L5 and index$3	3	L6
L5	L3 and (display$3 same result$1)	8	L5
L4	L3 and ((amalgamat$ or combin$3) same result$1)	0	L4
L3	L1 and L2	18	L3
L2	search same (local or remote)	34089	L2
L1	(compar$3 or match$3) same content same ((remote or local) near device)	113	L1

END OF SEARCH HISTORY

9/16 Art

Refine Search

Search Results -

Terms	Documents
L7 and ("default state")	0

Database: US Pre-Grant Publication Full-Text Database; US Patents Full-Text Database; US OCR Full-Text Database; EPO Abstracts Database; JPO Abstracts Database; Derwent World Patents Index; IBM Technical Disclosure Bulletins

Search: L8

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Thursday, June 01, 2006 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR			
L8	L7 and ("default state")	0	L8
L7	(L6 or L4) and ("search engine")	34	L7
L6	L5 not L4	18	L6
L5	L3 and ((single or combin$3) near result$1)	37	L5
L4	L3 and ((single or combin$) near result$1)	36	L4
L3	L2 and index$3	478	L3
L2	L1 and (compar$3 same search)	1047	L2
L1	search same multiple same device$1	3567	L1

END OF SEARCH HISTORY

Terms used **performing search remote electronic content single query comparing search indexed content displaying amalgamated result**

Found **2** of **177,263**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 2 of 2

Relevance scale

1 Information retrieval session 8: efficiency: Operational requirements for scalable search systems

Abdur Chowdhury, Greg Pass
November 2003 **Proceedings of the twelfth international conference on Information and knowledge management**
Publisher: ACM Press
Full text available: pdf(294.93 KB) Additional Information: full citation, abstract, references, citings, index terms

Prior research into search system scalability has primarily addressed query processing efficiency [1, 2, 3] or indexing efficiency [3], or has presented some arbitrary system architecture [4]. Little work has introduced any formal theoretical framework for evaluating architectures with regard to specific operational requirements, or for comparing architectures beyond simple timings [5] or basic simulations [6, 7]. In this paper, we present a framework based upon queuing network theory for analyz ...

Keywords: operational requirements, search scalability

2 Web searching: Specialisation dynamics in federated web search

Rinat Khoussainov, Nicholas Kushmerick
November 2004 **Proceedings of the 6th annual ACM international workshop on Web information and data management**
Publisher: ACM Press
Full text available: pdf(138.32 KB) Additional Information: full citation, abstract, references, index terms

Organising large-scale Web information retrieval systems into hierarchies of topic-specific search resources can improve both the quality of results and the efficient use of computing resources. A promising way to build such systems involves federations of topic-specific search engines in decentralised search environments. Most of the previous research concentrated on various technical aspects of such environments (e.g. routing of search queries or merging of results from multiple sources). W ...

Keywords: competition, federated web search, topic specialisation

Results 1 - 2 of 2

9/1/6 sec

Terms used **performing search single query remote device compare search indexed content default state**

Found **5** of **177,263**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 5 of 5

Relevance scale

1 A specialized computer architecture for text retrieval

David C. Roberts
August 1978 **ACM SIGIR Forum , ACM SIGARCH Computer Architecture News , ACM SIGMOD Record**, Volume 13 , 7 , 10 Issue 2 , 2 , 1
Publisher: ACM Press
Full text available: pdf(779.71 KB) Additional Information: full citation, abstract, references

This paper describes a specialized computer architecture for text retrieval that provides a wide range of query capabilities, without the use of indexes of the material retrieved. A distributed approach is employed, with direct search processors. Each search processor is closely associated with one or more disk drives that store the data to be searched and each consists of a comparator for matching query terms, logic elements to combine query terms, a disk controller and a control minicomputer.T ...

2 Information retrieval session 8: efficiency: Operational requirements for scalable search systems

Abdur Chowdhury, Greg Pass
November 2003 **Proceedings of the twelfth international conference on Information and knowledge management**
Publisher: ACM Press
Full text available: pdf(294.93 KB) Additional Information: full citation, abstract, references, citings, index terms

Prior research into search system scalability has primarily addressed query processing efficiency [1, 2, 3] or indexing efficiency [3], or has presented some arbitrary system architecture [4]. Little work has introduced any formal theoretical framework for evaluating architectures with regard to specific operational requirements, or for comparing architectures beyond simple timings [5] or basic simulations [6, 7]. In this paper, we present a framework based upon queuing network theory for analyz ...

Keywords: operational requirements, search scalability

3 A specialized computer architecture for text retrieval

David C. Roberts
August 1978 **Pr ceedings f the fourth workshop on Computer architecture for non-numeric processing**
Publisher: ACM Press

Full text available: pdf(677.91 KB) Additional Information: full citation, abstract, references, citings, index terms

This paper describes a specialized computer architecture for text retrieval that provides a wide range of query capabilities, without the use of indexes of the material retrieved. A distributed approach is employed, with direct search processors. Each search processor is closely associated with one or more disk drives that store the data to be searched and each consists of a comparator for matching query terms, logic elements to combine query terms, a disk controller and a control minicompu ...

4 Hardware systems for text information retrieval

Lee A. Hollaar

June 1983 **ACM SIGIR Forum , Proceedings of the 6th annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '83**, Volume 17 Issue 4

Publisher: ACM Press

Full text available: pdf(747.80 KB) Additional Information: full citation, abstract, references

As databases become very large, conventional digital computers cannot provide satisfactory response time. This is particularly true for text databases, which must often be several orders of magnitude larger than formatted databases to store a useful amount of information. Even the standard techniques for improving system performance (such as inverted files) may not be sufficient to give the desired performance, and the use of an unconventional hardware organization may become necessary.A variety ...

5 Web searching: Specialisation dynamics in federated web search

Rinat Khoussainov, Nicholas Kushmerick

November 2004 **Proceedings of the 6th annual ACM international workshop on Web information and data management**

Publisher: ACM Press

Full text available: pdf(138.32 KB) Additional Information: full citation, abstract, references, index terms

Organising large-scale Web information retrieval systems into hierarchies of topic-specific search resources can improve both the quality of results and the efficient use of computing resources. A promising way to build such systems involves federations of topic-specific search engines in decentralised search environments. Most of the previous research concentrated on various technical aspects of such environments (e.g. routing of search queries or merging of results from multiple sources). W ...

Keywords: competition, federated web search, topic specialisation

Results 1 - 5 of 5

Terms used **performing search single query remote device comparing search indexed electronic content default state**

Found **4** of **177,263**

Sort results by relevance
Display results expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 4 of 4

Relevance scale

1 A specialized computer architecture for text retrieval

David C. Roberts

August 1978 **ACM SIGIR Forum , ACM SIGARCH Computer Architecture News , ACM SIGMOD Record**, Volume 13 , 7 , 10 Issue 2 , 2 , 1

Publisher: ACM Press

Full text available: pdf(779.71 KB) Additional Information: full citation, abstract, references

This paper describes a specialized computer architecture for text retrieval that provides a wide range of query capabilities, without the use of indexes of the material retrieved. A distributed approach is employed, with direct search processors. Each search processor is closely associated with one or more disk drives that store the data to be searched and each consists of a comparator for matching query terms, logic elements to combine query terms, a disk controller and a control minicomputer.T ...

2 Information retrieval session 8: efficiency: Operational requirements for scalable search systems

Abdur Chowdhury, Greg Pass

November 2003 **Proceedings of the twelfth international conference on Information and knowledge management**

Publisher: ACM Press

Full text available: pdf(294.93 KB) Additional Information: full citation, abstract, references, citings, index terms

Prior research into search system scalability has primarily addressed query processing efficiency [1, 2, 3] or indexing efficiency [3], or has presented some arbitrary system architecture [4]. Little work has introduced any formal theoretical framework for evaluating architectures with regard to specific operational requirements, or for comparing architectures beyond simple timings [5] or basic simulations [6, 7]. In this paper, we present a framework based upon queuing network theory for analyz ...

Keywords: operational requirements, search scalability

3 A specialized computer architecture for text retrieval

David C. Roberts

August 1978 **Proceedings f the fourth workshop on Computer architecture for non-numeric processing**

Publisher: ACM Press

Full text available: pdf(677.91 KB) Additional Information: full citation, abstract, references, citings, index terms

This paper describes a specialized computer architecture for text retrieval that provides a wide range of query capabilities, without the use of indexes of the material retrieved. A distributed approach is employed, with direct search processors. Each search processor is closely associated with one or more disk drives that store the data to be searched and each consists of a comparator for matching query terms, logic elements to combine query terms, a disk controller and a control minicompu ...

4 Hardware systems for text information retrieval

Lee A. Hollaar

June 1983 **ACM SIGIR Forum , Proceedings of the 6th annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '83**, Volume 17 Issue 4

Publisher: ACM Press

Full text available: pdf(747.80 KB) Additional Information: full citation, abstract, references

As databases become very large, conventional digital computers cannot provide satisfactory response time. This is particularly true for text databases, which must often be several orders of magnitude larger than formatted databases to store a useful amount of information. Even the standard techniques for improving system performance (such as inverted files) may not be sufficient to give the desired performance, and the use of an unconventional hardware organization may become necessary.A variety ...

Results 1 - 4 of 4

Terms used **performing search local electronic content single query comparing search indexed content default state**

Found **5** of **177,263**

Sort results by: relevance
Display results: expanded form
Save results to a Binder
Search Tips
Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 5 of 5

Relevance scale

1 A specialized computer architecture for text retrieval

David C. Roberts
August 1978 **ACM SIGIR Forum , ACM SIGARCH Computer Architecture News , ACM SIGMOD Record**, Volume 13 , 7 , 10 Issue 2 , 2 , 1
Publisher: ACM Press
Full text available: pdf(779.71 KB) Additional Information: full citation, abstract, references

This paper describes a specialized computer architecture for text retrieval that provides a wide range of query capabilities, without the use of indexes of the material retrieved. A distributed approach is employed, with direct search processors. Each search processor is closely associated with one or more disk drives that store the data to be searched and each consists of a comparator for matching query terms, logic elements to combine query terms, a disk controller and a control minicomputer.T ...

2 Information retrieval session 8: efficiency: Operational requirements for scalable search systems

Abdur Chowdhury, Greg Pass
November 2003 **Proceedings of the twelfth international conference on Information and knowledge management**
Publisher: ACM Press
Full text available: pdf(294.93 KB) Additional Information: full citation, abstract, references, citings, index terms

Prior research into search system scalability has primarily addressed query processing efficiency [1, 2, 3] or indexing efficiency [3], or has presented some arbitrary system architecture [4]. Little work has introduced any formal theoretical framework for evaluating architectures with regard to specific operational requirements, or for comparing architectures beyond simple timings [5] or basic simulations [6, 7]. In this paper, we present a framework based upon queuing network theory for analyz ...

Keywords: operational requirements, search scalability

3 A specialized computer architecture for text retrieval

David C. Roberts
August 1978 **Proceedings of the f urth worksh p n Computer architecture for non-numeric processing**
Publisher: ACM Press

Full text available: pdf(677.91 KB) Additional Information: full citation, abstract, references, citings, index terms

This paper describes a specialized computer architecture for text retrieval that provides a wide range of query capabilities, without the use of indexes of the material retrieved. A distributed approach is employed, with direct search processors. Each search processor is closely associated with one or more disk drives that store the data to be searched and each consists of a comparator for matching query terms, logic elements to combine query terms, a disk controller and a control minicompu ...

4 Hardware systems for text information retrieval

Lee A. Hollaar

June 1983 **ACM SIGIR Forum , Proceedings of the 6th annual international ACM SIGIR conference on Research and development in information retrieval SIGIR '83**, Volume 17 Issue 4

Publisher: ACM Press

Full text available: pdf(747.80 KB) Additional Information: full citation, abstract, references

As databases become very large, conventional digital computers cannot provide satisfactory response time. This is particularly true for text databases, which must often be several orders of magnitude larger than formatted databases to store a useful amount of information. Even the standard techniques for improving system performance (such as inverted files) may not be sufficient to give the desired performance, and the use of an unconventional hardware organization may become necessary.A variety ...

5 Web searching: Specialisation dynamics in federated web search

Rinat Khoussainov, Nicholas Kushmerick

November 2004 **Proceedings of the 6th annual ACM international workshop on Web information and data management**

Publisher: ACM Press

Full text available: pdf(138.32 KB) Additional Information: full citation, abstract, references, index terms

Organising large-scale Web information retrieval systems into hierarchies of topic-specific search resources can improve both the quality of results and the efficient use of computing resources. A promising way to build such systems involves federations of topic-specific search engines in decentralised search environments. Most of the previous research concentrated on various technical aspects of such environments (e.g. routing of search queries or merging of results from multiple sources). W ...

Keywords: competition, federated web search, topic specialisation

Results 1 - 5 of 5

Results for "(((search <near> term) <paragraph> compar* <paragraph> (content <near> stor*..."

e-mail

Your search matched **1** of **1351415** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((search <near> term) <paragraph> compar* <paragraph> (content <near> stor*))<in Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

view selected items Select All Deselect All

1. **Indexing high-dimensional data for efficient in-memory similarity search**
Bin Cui; Beng Chin Coi; Jianwen Su; Tan, K.-L.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 17, Issue 3, Mar 2005 Page(s):339 - 353
Digital Object Identifier 10.1109/TKDE.2005.46
AbstractPlus | Full Text: PDF(1432 KB) IEEE JNL
Rights and Permissions

Indexed by Inspec

6/1/06 Search

IEEE Xplore® RELEASE 2.1

Welcome United States Patent and Trademark Office

Results for "(((single <near> query) <paragraph> c mpar* <paragraph> (c ntent <near> st r..."

e-mail

Your search matched **0** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((single <near> query) <paragraph> compar* <paragraph> (content <near> stor*))<ir Search

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Indexed by Inspec®

6/1/6

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Results for "(((single <near> query) <and> compar* <and> (display* <near> result))<in&..." e-mail
Your search matched **0** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((single <near> query) <and> compar* <and> (display* <near> result))<in>metadata) Search

☐ Check to search only within this results set

Display Format: ◉ Citation ○ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.

Indexed by Inspec

IEEE Xplore RELEASE 2.1

Welcome United States Patent and Trademark Office

Results for "(((single <near> query) <and> compar* <and> (amalgamat* <near> result))<i..."

e-mail

Your search matched **0** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((single <near> query) <and> compar* <and> (amalgamat* <near> result))<in>metac Search

Check to search only within this results set

Display Format: Citation Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistan search.